




## NTN Bearing Driveshaft do Brasil



45 mm x 68 mm x 30 mm 45 mm x 68 mm x 30 mm INA NKIA5909 complex bearings

Bearing No. NKIA5909

NKIA5909 Bearing 2D drawings and 3D CAD models

Size	45x68x30 mm
Bore Diameter	45 mm
Outer Diameter	68 mm
Width	30 mm
d	45 mm
D	68 mm
B	30 mm
F	52 mm
$r_{\min}$	0,6 mm
m	375 g / Weight
$C_r$	51000 N / Dynamic load rating (radial)
$C_{0r}$	73000 N / Static load rating (radial)
$C_a$	9600 N / Dynamic load rating (axial)
$C_{0a}$	21400 N / Static load rating (axial)
$C_{ur}$	12600 N / Fatigue limit load, radial
$C_{ua}$	950 N / Fatigue limit load, axial
$n_G$	8700 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



## NTN Bearing Driveshaft do Brasil

Weight / Kilogram	0.38
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Long Description	45MM Bore 1; 45MM Bore 2; 68MM Outside Diameter; 30MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NKIA5909
Weight / LBS	0.827
Bore 2	1.772 Inch   45 Millimeter
Outside Diameter	2.677 Inch   68 Millimeter
Bore 1	1.772 Inch   45 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter



## NTN Bearing Driveshaft do Brasil

Height	1.181 Inch   30 Millimeter
--------	----------------------------