




NTN Bearing Driveshaft do Brasil



15 mm x 28 mm x 20 mm 15 mm x 28 mm x 20 mm INA NKIB5902 complex bearings

Bearing No. NKIB5902

NKIB5902 Bearing 2D drawings and 3D CAD models

Size	15x28x20 mm
Bore Diameter	15 mm
Outer Diameter	28 mm
Width	20 mm
d	15 mm
D	28 mm
B	20 mm
C	18 mm
F	20 mm
r_{\min}	0,3 mm
m	52 g / Weight
C_r	12000 N / Dynamic load rating (radial)
C_{0r}	13600 N / Static load rating (radial)
C_a	2900 N / Dynamic load rating (axial)
C_{0a}	4200 N / Static load rating (axial)
C_{ur}	2430 N / Fatigue limit load, radial
C_{ua}	186 N / Fatigue limit load, axial
n_G	21600 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0



NTN Bearing Driveshaft do Brasil

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.05
EAN	4012802059700
Product Group	B00234
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Long Description	15MM Bore 1; 15MM Bore 2; 28MM Outside Diameter; 20MM Height; Combination - Needle Roller and Thrust Ball Bearing; Double Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKIB5902
Weight / LBS	0.115
Overall Height with Aligning Washer	0 Inch 0 Millimeter



NTN Bearing Driveshaft do Brasil

Height	0.787 Inch 20 Millimeter
Bore 2	0.591 Inch 15 Millimeter
Bore 1	0.591 Inch 15 Millimeter
Outside Diameter	1.102 Inch 28 Millimeter